

The smart instruments specialistSensors – Web services



Sigfox ready **Sensors and Loggers**





K0V00090-02A01 - 25/08/16



► 100 % compatibility with Sigfox network



Our communication solutions

- Integrated Sigfox card to our sensors and loggers
- Full potential of Internet of things
- Dedicated network to M2M and IoT
- Low energy consumsion and with maximum efficiency.
- Connected everywhere, securely
- Waste, drinking and surface water applications



Battery powered sensors and loggers connected to the Sigfox network

Historique voir févolution de vos metures au cours du temps
Statistics of source ADMs. Common Open Control Common Comm
1.000 Lo 0.0 10 10 10 10 10 10 10 10 10 10 10 10 10
7 mm
nn 10 nn ⁰
100 100 100 100 100 100 100 100 100 100
and the second s
and a second provide a

data analysis on V2.Ijitrack.com

- Data hosting
- Synthesis of measuring points
- History
- Export des données



Fast pressure metering and loging of drinking water network





The 2 in 1 solution : meter / pressure

- Quick and easy installation
- Very compact, IP68
- Programming and data collection by radio
- Daily and hourly accumulation
- Pressure sensor 4-20mA
- Battery life power > 5 years
- Compatible protocoles : Topkapi, Lerne, Dev I/0 - OPC, Floee, ...

Water pressure and volume logger to calculate yields of drinking water networks



	A	1	c	0	t	1	6
t	site	sensor	name	date	Volume cumulé : m*		
2	Mairie de Novat	LIA0101-00001502	Comptage volumes	24/09/2014 00:59	4.06	e,	
1	Mairie de Novan	LIA0101-00001502	Comptage volumes	24/09/2014 01:59	2.21	m*	
ï	Mairie de Novan	UA0101-00001502	Comptage volumes	24/09/2014 02:59	6,25	m ⁴	
5	Mairie de Novan	LIA0101-00001502	Comptage volumes	24/09/2014 03:59	2.99	m* .	
6	Mairie de Novan	UA0101-00001502	Comptage volumes	24/09/2014 04:59	3,47	e*	
ĩ	Mairie de Novati	UA0101-00001502	Comptage volumes	24/09/2014 05:59	2,57	a* .	
ĩ	Mairie de Novat	LIA0101-00001502	Comptage volumes	24/09/2014 06:59	6,76	m*	
ï	Marie de Novat	LIA0101-00001502	Comptage volumes	24/09/2014 07:59	3.21	m* -	
ģ	Mairie de Novan	UA0101-00001502	Comptage volumes	24/09/2014 08:59	4,43	m* .	
1	Mairie de Novat	LIA0101-00001502	Comptage volumes	24/09/2014 09:59	10,22	er*	
į.	Mairie de Novañ	UA0101-00001502	Comptage volumes	24/09/2014 10:59	7.20	m* .	
ī	Mairie de Novat	LIA0101-00001502	Comptage volumes	24/09/2014 11:59	12.23	m*	
4	Mairie de Novan	LIA0101-00001502	Comptage volumes	24/09/2014 12:59	8.73	11	
5	Mairie de Novan	LIA0101-00001502	Comptage volumes	24/09/2014 13:59	10,27	m ^a	
ï	Mairie de Novati	UA0101-00001502	Comptage volumes	24/09/2014 14:59	11.44	11	
1	Mairie de Nizvan	LIA0101-00001502	Comptage volumes	24/09/2014 15:59	6,77	m*	
ñ.	Marie de Novan	LIA0101-00001502	Comptage volumes	24/09/2014 16:59	10.41	m ^a	

Data management on V2.ijitrack.com





Pressure control on drinking water network

Compact and autonomous, this recorder allows you to set up a pressure measurement quickly without risk of interfering with the use of the drinking



- Simple and fast installation
- Battery powered logger
- Integrated pressure sensor 0-25 bars
- Quick coupling
- Data reading in real-time by radio
- Data retrieval by Walk-by
- Excel Report

Installation principle

- Hose cap change on fire hydrant
- Coupling sensor/cap via the flexible

(can be done even on pressurized network)

- Opening the valve
- Remote set up and reading by radio
- Data logging with variable interval acquisition on schedule



Fire hose cap with quick coupling



Connection Flexible





Web services : v2.ijitrack.com



Diagnostic of sewers network



The 3 in 1 solution: Level - Volume - Flow

- Quick and easy to install
- Timestamp volumes
- Battery life up to 5 years
- Acoustic imaging technology
- Insensitive to dirt IP68
- IP68 (tested 7days at 10m)
- Multiprotocol communication
- Hosting data and web services available

Measures of water level / flow rate / volume



- Measurement points report
- History data
 - Export data in CSV, Ecxel files

Ultrasonic Level Sensors

(ijinus



► Avelour software



Unique software to configure all Ijinus sensors



- Instant radio connection to sensors
- Intuitive interface adapts to connected sensors
- Assisted Setup, recapitulation summary
- Multi curves display of your data
- Back-up are available for both data and settings
- Work safely by staying away from your measurement points

Operating principles are the same for all devices:

Our radio programming kit plugged by USB to a computer allows by RFID, to connect to various Ijinus devices, to set up and retrieve data..



Programming example :

A master sensor or data logger can concentrate other data of sensors present in the radio field and send them via GSM / GPRS to the supervision.

-E	-		1 SO
	-	(ijinus	

New: USB/HF programming kit



► Web Services



More than just hosting data

- Simple and intuitive interface
- Reachable everywhere
- Quick sensor configuration
- Securing Data
- View your data in real-time
- Export data to Csv, XIs formats

Ijitrack allows you to generate alarms on level, overflow, tension, unusual parameters. For each alarm you can set a high and low threshold. Alarms are visible on V2.ijitrack.com and can be transmitted by mail, text message or Fax.





Sensor - Data logger - Web service The smart instruments specialist

Contacts

For any further information, thank you to contact our office or sales representative in your area:

IJINUS - France

25 ZA de Kervidanou 3 29300 Mellac - France Ph : +33 2 98 09 03 30 Fax: +33 2 98 96 29 01 www.ijinus.com commercial@ijinus.com

IJINUS - France

Laurent Meyer Sales manager Mob : +33 6 79 27 37 60 laurent.meyer@ijinus.fr

IJINUS - France

Dominique Mahé Marketing & Export Ph : + 33 2 98 09 03 37 Mob : +33 6 07 75 52 51 dominique.mahe@ijinus.com

IJINUS USA

Christian Flecher

c/o ALTIOS USA - New York, 10-34 44th Drive, 2nd Floor, NY 11101 Long Island City Mob : +1 414 544 7277 christian.flecher@ijinus.com sales@ijinus.com

IJINUS China

Yvan Wang Modern Plaza 503 369 Xian Xia road, Changning District 200336 SHANGHAI Port : +86 21 6180 7298 yihang.wang@benefiq-asia.com

